	L	Hits	Search Text	DB	Time stamp
	Number				
	2	340	(705/50-80.ccls. or 713/150.ccls. or	USPAT;	2004/08/26
·			380/277.ccls.) and @pd>20040428	US-PGPUB;	12:59
`				EPO; JPO;	
			4	DERWENT	
	5	5915	(decrypt\$ or decod\$ or decipher\$ or	USPAT;	2004/08/26
	l		decypher\$) near6 ((private or secret or	US-PGPUB;	14:13
	l		integrity) near2 key)	EPO; JPO;	Considure
			,	DERWENT	Cocsiadre
	6	75	((705/50-80.ccls. or 713/150.ccls. or	USPAT;	2004/08/26
			380/277.ccls.) and @pd>20040428) and	US-PGPUB;	13:04
			((decrypt\$ or decod\$ or decipher\$ or	EPO; JPO;	/
			decypher\$) near6 ((private or secret or	DERWENT	
			integrity) near2 key))		
	10	2070	(second or secondary or different or	USPAT;	2004/08/26
			another) near4 ((private or secret or	US-PGPUB;	13:56
			integrity) near3 key)	EPO; JPO;	
			integrity/ nears key/	DERWENT	
	11	1293	((decrypt\$ or decod\$ or decipher\$ or	USPAT;	2004/08/26
	••	1293	decypher\$) near6 ((private or secret or	US-PGPUB;	13:57
				EPO; JPO;	13.37
	i		integrity) near2 key)) and ((second or	DERWENT	
			secondary or different or another) near4	DEKWENI	
		4445	((private or secret or integrity) near3 key))	HODAT	0004/00/00
	14	1115	(((decrypt\$ or decod\$ or decipher\$ or	USPAT;	2004/08/26
			decypher\$) near6 ((private or secret or	US-PGPUB;	13:36
			integrity) near2 key)) and ((second or	EPO; JPO;	
			secondary or different or another) near4	DERWENT	
			((private or secret or integrity) near3 key))) and (705/\$ or 713/\$ or 380/\$)		Considired
	13	25-	-(((decrypt\$-or-decod\$ or decipher\$ or	USPAT;	2004/08/26
			decypher\$) near6 ((private or secret or	US-PGPUB;	13:12 . `
			integrity) near2 key)) and ((second or	EPO; JPO;	
			secondary or different or another) near4	DERWENT	/
			((private or secret or integrity) near3 key)))		
			and ((705/50-80.ccls. or 713/150.ccls. or		
			380/277.ccls.) and @pd>20040428)		
	15	357	(((decrypt\$ or decod\$ or decipher\$ or	USPAT;	2004/08/26
			decypher\$) near6 ((private or secret or	US-PGPUB;	13:57
			integrity) near2 key)) and ((second or	EPO; JPO;	-
			secondary or different or another) near4	DERWENT	
			((private or secret or integrity) near3 key)))		
			and (705/50-80.ccls. or 713/150.ccls. or		
			and transactional transaction at	1	i

Considuei

332	((((decrypt\$ or decod\$ or decipher\$ or	USPAT;	2004/08/26
		1	13:37
	integrity) near2 key)) and ((second or	EPO; JPO;	
	secondary or different or another) near4	DERWENT	
	((private or secret or integrity) near3 key)))		
	and (705/50-80.ccls. or 713/150.ccls. or		
	380/277.ccls.)) not (((705/50-80.ccls. or		

	•		/
			/
332		IISDAT.	2004/08/26
332		1	13:38
	• • • • • • • • • • • • • • • • • • • •	1	13:30
		1 '	
	•	DERWENT	
	• • • • • • • • • • • • • • • • • • • •		
	•		

	713/150.ccls. or 380/277.ccls.) and		
	@pd>20040428) and ((decrypt\$ or decod\$ or		
	decipher\$ or decypher\$) near6 ((private or		
	secret or integrity) near2 key)))) not		
	((((decrypt\$ or decod\$ or decipher\$ or		
	decypher\$) near6 ((private or secret or		
	• • • • • • • • • • • • • • • • • • • •		
	-		
	•		
	• • • • • • • • • • • • • • • • • • • •		
	•••		
477		USPAT:	2004/08/26
7	-	1	14:12
	, ,,,,	1	1-7-12
		l	
240	•		2004/00/20
340	-		2004/08/26
		1	13:57
	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1 '	
	· · · · · · · · · · · · · · · · · · ·	DERWENT	Considere
			Covision
	near10 (file or content or data))		
103	(((decrypt\$ or decod\$ or decipher\$ or	USPAT;	2004/08/26
	decypher\$) near6 ((private or secret or	US-PGPUB;	13:58
]	integrity) near2 key)) and ((second or	EPO; JPO;	
]	secondary or different or another) near4	DERWENT	
	((private or secret or integrity) near3 key)		
	· · · · · · · · · · · · · · · · · · ·		
	•		
	•	1	
,	•	HEDAT.	2004/08/26
3	, , , , , , , , , , , , , , , , , , ,	•	
1	•	•	14:13
	integrity) near3 key) near10 (header)	EPO; JPO;	
	332 477 340	decypher\$) near6 ((private or secret or integrity) near2 key)) and ((second or secondary or different or another) near4 ((private or secret or integrity) near3 key))) and (705/50-80.ccls. or 713/150.ccls. or 380/277.ccls.)) not (((705/50-80.ccls. or 713/150.ccls. or 380/277.ccls.) and @pd>20040428) and ((decrypt\$ or decod\$ or decipher\$ or decypher\$) near6 ((private or secret or integrity).near2 key))) 332 (((((decrypt\$ or decod\$ or decipher\$ or decypher\$) near6 ((private or secret or integrity) near2 key)) and ((second or secondary or different or another) near4 ((private or secret or integrity) near3 key))) and (705/50-80.ccls. or 713/150.ccls. or 380/277.ccls.)) not (((705/50-80.ccls. or 713/150.ccls. or 380/277.ccls.) and @pd>20040428) and ((decrypt\$ or decod\$ or decipher\$ or decypher\$) near6 ((private or secret or integrity) near2 key)))) not ((((decrypt\$ or decod\$ or decipher\$ or decypher\$) near6 ((private or secret or integrity) near2 key))) and ((705/50-80.ccls. or 713/150.ccls. or 380/277.ccls.) and @pd>20040428)) 477 (second or secondary or different or another) near4 ((private or secret or integrity) near3 key) near10 (file or content or data) 340 ((decrypt\$ or decod\$ or decipher\$ or decypher\$) near6 ((private or secret or integrity) near3 key) near10 (file or content or secondary or different or another) near4 ((private or secret or integrity) near2 key))) and ((second or secondary or different or another) near4 ((private or secret or integrity) near3 key) near10 (file or content-or-data)) 103 (((decrypt\$ or decod\$ or decipher\$ or decypher\$) near6 ((private or secret or integrity) near3 key) near10 (file or content-or-data)) 103 (((decrypt\$ or decod\$ or decipher\$ or decypher\$) near6 ((private or secret or integrity) near3 key) near10 (file or content or data))) 104 ((private or secret or integrity) near3 key) near10 (file or content or data))) and (705/50-80.ccls. or 713/150.ccls. or 380/277.ccls.))	decypher\$) near6 ((private or secret or integrity) near2 key)) and ((second or secondary or different or another) near4 ((private or secret or integrity) near3 key))) and (705/50-80.ccls. or 713/150.ccls. or 380/277.ccls.)) not (((705/50-80.ccls. or 360/277.ccls.) and @pd>20040428) and ((decrypt\$ or decod\$ or decipher\$ or decypher\$) near6 ((private or secret or integrity) near2 key))) and ((((decrypt\$ or decod\$ or decipher\$ or decypher\$)) near6 ((private or secondary or different or another) near4 ((private or secret or integrity) near2 key))) and (705/50-80.ccls. or 380/277.ccls.) and @pd>20040428) and ((decrypt\$ or decod\$ or decipher\$ or decypher\$) near6 ((private or secret or integrity) near2 key))) not ((((decrypt\$ or decod\$ or decipher\$ or decypher\$) near6 ((private or secret or integrity) near2 key))) and ((705/50-80.ccls. or 380/277.ccls.) and @pd>20040428)) (second or secondary or different or another) near4 ((private or secret or integrity) near2 key)) and ((second or secondary or different or another) near4 ((private or secret or integrity) near3 key) near10 (file or content. or data) 103 ((decrypt\$ or decod\$ or decipher\$ or decypher\$) near6 ((private or secret or integrity) near2 key)) and ((second or secondary or different or another) near4 ((private or secret or integrity) near2 key)) and ((second or secondary or different or another) near4 ((private or secret or integrity) near2 key)) and ((second or secondary or different or another) near4 ((private or secret or integrity) near2 key)) and ((second or secondary or different or another) near4 ((private or secret or integrity) near2 key)) and (second or secondary or different or another) near4 ((private or secret or integrity) near2 key)) and (second or secondary or different or another) near4 ((private or secret or integrity) near2 key) and (second or secondary or different or another) near4 ((private or secret or integrity) near2 key) near10 (file or content or data)) and (705/50-80.ccls. or 713/150.ccls. or 380/277.ccls.)

Consideral

22	195	((private or secret or integrity) near3 key)	USPAT;	2004/08/26
		near10 (header)	US-PGPUB;	14:13
			EPO; JPO;	
			DERWENT	1
23	63	((decrypt\$ or decod\$ or decipher\$ or	USPAT;	2004/08/26
		decypher\$) near6 ((private or secret or	US-PGPUB;	14:13
		integrity) near2 key)) near20 header	EPO; JPO;	
			DERWENT	
24	43	(((private or secret or integrity) near3 key)	USPAT;	2004/08/26
		near10 (header)) and (((decrypt\$ or decod\$	US-PGPUB;	14:26
		or decipher\$ or decypher\$) near6 ((private	EPO; JPO;	
		or secret or integrity) near2 key)) near20	DERWENT	
		header)		

```
SYSTEM:OS - DIALOG OneSearch
  File 15:ABI/Inform(R) 1971-2004/Aug 26
         (c) 2004 ProQuest Info&Learning
       15: Alert feature enhanced for multiple files, duplicate
removal, customized scheduling. See HELP ALERT.
  File
         9:Business & Industry(R) Jul/1994-2004/Aug 25
         (c) 2004 The Gale Group
  File 610: Business Wire 1999-2004/Aug 26
         (c) 2004 Business Wire.
*File 610: File 610 now contains data from 3/99 forward.
Archive data (1986-2/99) is available in File 810.
  File 810:Business Wire 1986-1999/Feb 28
         (c) 1999 Business Wire
  File 275:Gale Group Computer DB(TM) 1983-2004/Aug 26
         (c) 2004 The Gale Group
  File 476: Financial Times Fulltext 1982-2004/Aug 26
         (c) 2004 Financial Times Ltd
  File 624:McGraw-Hill Publications 1985-2004/Aug 25
         (c) 2004 McGraw-Hill Co. Inc
*File 624: Homeland Security & Defense and 9 Platt energy journals added
Please see HELP NEWS624 for more
  File 636:Gale Group Newsletter DB(TM) 1987-2004/Aug 26
         (c) 2004 The Gale Group
  File 621:Gale Group New Prod.Annou. (R) 1985-2004/Aug 26
         (c) 2004 The Gale Group
  File 613:PR Newswire 1999-2004/Aug 26
         (c) 2004 PR Newswire Association Inc
*File 613: File 613 now contains data from 5/99 forward.
Archive data (1987-4/99) is available in File 813.
  File 813:PR Newswire 1987-1999/Apr 30
         (c) 1999 PR Newswire Association Inc
       16:Gale Group PROMT(R) 1990-2004/Aug 26
  File
         (c) 2004 The Gale Group
*File 16: Alert feature enhanced for multiple files, duplicate
removal, customized scheduling. See HELP ALERT.
  File 160:Gale Group PROMT(R) 1972-1989
         (c) 1999 The Gale Group
  File 634:San Jose Mercury Jun 1985-2004/Aug 25
         (c) 2004 San Jose Mercury News
  File 148:Gale Group Trade & Industry DB 1976-2004/Aug 26
         (c) 2004 The Gale Group
*File 148: Alert feature enhanced for multiple files, duplicate
removal, customized scheduling. See HELP ALERT.
  File 20:Dialog Global Reporter 1997-2004/Aug 26
         (c) 2004 The Dialog Corp.
       35:Dissertation Abs Online 1861-2004/Jul
         (c) 2004 ProQuest Info&Learning
  File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13
         (c) 2002 The Gale Group
*File 583: This file is no longer updating as of 12-13-2002.
  File 65: Inside Conferences 1993-2004/Aug W4
         (c) 2004 BLDSC all rts. reserv.
  File
         2:INSPEC 1969-2004/Aug W3
         (c) 2004 Institution of Electrical Engineers
        2: Alert feature enhanced for multiple files, duplicates
*File
removal, customized scheduling. See HELP ALERT.
  File 233:Internet & Personal Comp. Abs. 1981-2003/Sep
         (c) 2003 EBSCO Pub.
  File 474:New York Times Abs 1969-2004/Aug 25
         (c) 2004 The New York Times
  File 475: Wall Street Journal Abs 1973-2004/Aug 25
         (c) 2004 The New York Times
  File 99: Wilson Appl. Sci & Tech Abs 1983-2004/Jul
```

(c) 2004 The HW Wilson Co.

File 256:TecInfoSource 82-2004/Jul

(c) 2004 Info. Sources Inc

File 348: EUROPEAN PATENTS 1978-2004/Aug W03

(c) 2004 European Patent Office

File 349:PCT FULLTEXT 1979-2002/UB=20040819,UT=20040812

(c) 2004 WIPO/Univentio

File 347: JAPIO Nov 1976-2004/Apr (Updated 040802)

(c) 2004 JPO & JAPIO

*File 347: JAPIO data problems with year 2000 records are now fixed. Alerts have been run. See HELP NEWS 347 for details.

Set Items Description

?

Set	Items	Description
S1	159	((PRIVATE OR SECRET OR INTEGRITY) (N3) KEY) (N10) HEADER
S2	48	((DECRYPT? OR DECOD? OR DECIPHER? OR DECYPHER?) (N6) ((PRI-
	V	ATE OR SECRET OR INTEGRITY) (N2) KEY)) (N20) HEADER
S3	32	S1 AND S2
S4	13	S3 AND PD<20001201
S5	13	RD (unique items)

•

to the state of th